Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION




STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

thar	agraph N n 100 fee nt(s) of div	t, or if	place	of use	will b	e cha	eted. nged,	Comp includ	lete a e a to	II othe pograp	er app ohic m	li cable ap or	porti detaile	ons. I	f chan show	ge in p ing the	oint o	f divers orized a	ion is greater and proposed
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(0) 0/ 0/			p.0.00	0. 000	•												REC	EIVED
								Waster Company of the			(44/44-150) (41) (2/44) (40)	- or account of the control						9:0	20 Am
						İ	File No	o. <u>143</u> 4	14 D3					-				IUL O	5 2016
1.	Garden Otty																		
	☐ Place of Use ☐ Point of Diversion ☐ Division of Water Resources under the water right which is the subject of this application in accordance with the conditions described below.																		
	The sour		_		5 1110 5	-		appiit Iwater	auom			ce wat		HUHHOF	is uest	anbeu i	below.		
										_									
2.	Name ar	nd addr	ess of	Applic	ant: <u>C</u>	ALVIN	18.81	DEBRA	<u> </u>	EHN									
		228 N 2420 RD THOMAS OK 73669-8248																	
	Phone N																		
								nt: <u>CA</u>	LVIN F	R & DE	BRA .	J KOE	HN						***************************************
		9228 N 2420 RD THOMAS OK 73669-8248 Phone Number: ()																	
_	Phone N								Email	addre	ss:								
3.	The presently authorized place of use is:																		
	Owner of	wner of Land NAME: <u>CALVIN R & DEBRA J KOEHN</u> ADDRESS: 9228 N 2420 RD THOMAS OK 73669-8248																	
	(If there is											48				-			
	(ii triere is	more ir	ian one	landov	viter, a	nach st	ibbieui	ental Si	eets as	s neces	ssary.)				TT .	.			
_	_	_			Ξ¼ 	T ====		NW¼		SW%		SE¼			TOTAL ACRES				
Sec	c. Twp.	Range	NE1/4	NW¼	SW¼	SE¼	NE¼	NW¼	SW1/4	SE¼	NE¼	NW¼	SW1/4	SE¼	NE¼	NW¼	SW1/4	SE¼	
																			
		· · · · · · · · · · · · · · · · · · ·																	
			<u>i</u>	<u> </u>		<u> </u>					<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>		
4.	If this ap	olication	n is for	a cha	nae in	place	of use	. it is o	ropose	ed that	the o	ace of	use bi	e chan	aed to	:			
	Owner of				-	•			•		•				-	-			
				ESS:		-			-										
	(If there is	more th	an one	landov	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)								
				NE	=1/4			NV	V¼			SV	V1/4			SE	1/4		TOTAL
Sec	. Twp.	Range	NE¼	NW14	SW1/4	SE¼	NE¼	NW¼	SW1/4	SE¼	NE¼	NW14	SW1/4	SE¼	NE¼	NW¼	SW1/4	SE¼	ACRES
											ļ								
					•		<u> </u>	<u> </u>			/ 		<u> </u>	•	11			<u></u>	·
			<u> </u>	<u> </u>					, Brost her-				• .	.	r e r	ž ė		, ,	150
	For Offic	e Use	Only:	Code		Fe	e \$_ <u>i</u> c	0.00	<u>)</u> [R	#		Re	ceipt	Date _	[· 🕽	10	Cnec	K#	200

5.	Presently authorized point of diversion:				
	One in the Quarter of the of Section 9, Township	nc	Quarter of the _	SW	Quarter
ļ	of Section 9, Township	25	South, Range _	35	W,
	in <u>Kearny</u> County, Kansas, <u>1320</u>				
	Authorized Rate Authorized Quantity _		Depth of well		(feet)
1	(DWR use only: Computer ID No. 3 GP			3925 teet	West)
l	☐ This point will not be changed ☐ This point will				
	Proposed point of diversion: (Complete only if change				
	One in the Quarter of the	ne	Quarter of the _	sw	Quarter
İ	of Section9, Township	25	South, Range _	35	W,
l	in <u>Kearny</u> County, Kansas, <u>1370</u>	_ feet North	3705 feet West	of Southeast co	rner of section.
	Proposed Rate Proposed Quantity				
L	This point is: Additional Well Geo Center List o	ther water no	gnts that will use this po	MIK	•
г	The state of the s				
6.	Presently authorized point of diversion:	00	Quarter of the	60	Quarter
	One in the Quarter of the of Section 9, Township	Se	Quarter or the _		Quarter
	in Kearny County, Kansas, 1024				
	Authorized Rate Authorized Quantity _				
	(DWR use only: Computer ID No. 6 GP	S 999	feet North	1302 feet	West)
	☐ This point will not be changed ☐ This point will			1002	11001,
	Proposed point of diversion: (Complete only if change				
	One in the Quarter of the				Quarter
I	of Section, Township		South Range		(FW).
	in County, Kansas,	feet North	feet West	of Southeast co	rner of section.
	Proposed Rate Proposed Quantity _				
I	This point is: Additional Well Geo Center List of				
L					
7.	Why do you need a new point of diversion?	13a. If t	the proposed point of divert of the existing point o	ersion will be re	elocated within 100
	old well needs to be replaced	the	e diagram below in relation	on to the existing	point of diversion.
	old well fleeds to be replaced	(P	LEAŠE NOTE: The " presents presently auth	X" in center o	of diagram below
		10	•	Vorth	41101011.7
o	If a well, is the test hole log attached? ⊠ Yes □ No		100 50		100
о.	ii a well, is the test hole log attached: \(\infty \) res \(\infty \) 140				
9.	When do you propose to complete the new point	of	_	<u> </u>	
	diversion?		50 - +		== 50
	july 20, 2016)	_ '	30
40	rea to the total t		F	_	7
10.	If the point of diversion is a well:	V	Vest 0	1 <u>X</u> 1111 11	I—0 East
	(a) What are you going to do with the old well?		<u> </u>	= '	7
	plug			=	=
	7 33		50 - +	+	∃ 50
	(b) When will this be done? 2016			_	•····
				<u>,†,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	ГЦ
11.	Groundwater Management District recommendation	on	100 50	_0 _ 50	100
	attached? ☐ Yes ☒ No		٩	South e: 1" = 100'	
		13b. If I	the proposed point of div		located more than
12.	Assisted by tpm	10	0 feet but within 1320) feet from the	existing point of
		div Fo	version, attach a topogi or groundwater sources,	rapnic map or show all wells (i	aenai pnotograph. ncluding domestic)
		wit	thin one-half mile of the r	proposed point o	f diversion and the
		na wa	mes and mailing addre	sses of the owle names and	ners. ⊢or surrace addresses of the
		lar	ndowner(s) one-half mil	e downstream	and one-half mile
		up	stream from your proper	ty lines.	

14344 D3



	,

Kyle Koehn (20-276-9802


3795 W. Jones Ave Phone: 620-277-2389 Fax: 620-277-0224

PO Box 639 Garden City, KS 67846

CUSTOMER'S NAME	Calvin Kochn			E2-29-16		
STREET ADDRESS	9228 N 2420	ROMO			TES	T#_ 2 E. LOG
CITY & STATE	THOMAS OKLA	27669			DRIL	LER Dale Guinn
COUNTY Kearny	QUARTER SW	SECTION	9	TOWNSHIP _		RANGE 35
/	RIG	# <u>10002</u>	wo]c	000	- 1	,
LOCATION					LC LOCA:	TON
GPS N37,89042	W101.17086	·			ELEVAT	ION 2995'

GPS_	V37,89	042	W101.	17086	ELEVATION 2995
		FOOTAG	E		Static Water Level: 237' V w-//
%	From	Pay	То	DESCRIPTION OF STRATA	Proposed Well Depth: 572
	0	T	2	Top Soil - Sandy -	20'SUMP
	2		8	Fine Sand	
	8		17	Brown Sandy clay	
	17		41	Sand fine to med course	Small med large gravel
	41		55	Brown sandy chy w/couple	fine Sund heds
	55		115	Sand fine to mad cour	se small for med grovel
	115		152	Fine Sand w/ comple clay S.	loingers - Drilled little light.
	152	ļ	169	Blac Clay Sand fine to mad	
	169	ļ	173	Sand fine to mad	
	/23		182	Brown Clay	
	182		193	Sand fine to med cours	<u> </u>
	193		248	Brown Sondy clay withou	Sand strips & Couple Sand beds
	248	1	261	Sand fine to med course	
15	261	/3	274	Sand fine to med some con	irse - Drilled tight in places
	274	110	280	Brown Sandy clay	
13	280	45	321	Fint Sand W/ few clay string	gers - Drilled loose in places.
4 5	325		334	Brown Soudy clay	-
45	334	13	250	Sand fine to med course	
15	347	0.0	358	Brown Clay	
	358 380	22	380	Fine Sand w/tow small	Clay String ers
	394	33		Brown Clay	
٥	427	33	427	Sandstone + Soupstone	
	446			Sourstone w/ couple sands	FON- STVIPS
	462		480	Sorpstone & Shale Sorpstone w/few sandstone	04/1
	480		550	Sandstone w/few soapstone.	1:
70	552	/2	580	Shale - Drilled Hord -	
	<u> </u>			Surve Drilled 17:00	० ११६३
					Super Gel X -5
			j	, , , , , , , , , , , , , , , , , , , ,	Grout -5
		•		,	But Pha = 5
					Perma Place -1
					43/4 Den 13/ade -1
					Perma Plug -1 43/4 Drag 13/ade -1 13ran -2
					14344 103
					1131113

	,



,		
	·	

14. If the proposed groundwater point of diversion is 30	00 or fewer feet fr	om existing point of div	ersion, complete the	following:						
(a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?☐ Yes☐ No(If no, all owners must sign this application.)										
(b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application.)										
(c) If this application is not approved expeditiously ☐ Yes ☐ No (If no, all owners mu			perty, public health o	r safety?						
If the application proposes a surface water change in poor a change in place of use, the application must be sign agent (attach notarized statement authorizing representation)	ned by all owners									
I hereby verify, being first duly sworn upon my age and the owner, the spouse of the owner, or their behalf, in regard to the water right(s) to contained in this application are true, correct a	r a duly author which this app nd complete.	ized agent of the ov dication pertains.	wner(s) to make th I further verify tha	is application or						
Dated at GARDEN City	Kansas this	2 M day of	tul-	.20 //						
x Bale Keepin	, ratioso, tito		V							
(Owner)	-		(Spouse)							
CALVIN RKOEHNKYLEKO	EHN									
(Please Print)	<u> </u>		(Please Print)							
(Owner)			(Spouse)	1170						
	 		,							
(Please Print)			(Please Print)							
(Owner)			(Spouse)							
(Please Print)			(Please Print)							
State of Kansas SS	EXE Notary	AMMY KELLS Public - State of Kansas	,							
County of Finney	My Appt. Exp	pires 6-28-17								
I hereby certify that the foregoing application was	as signed in m	y presence and swo	rn to before me th	is 2 day of						
		Jammy	. 1/							
626.10	-	ammy	Notary Public							
My Commission Expires			the state of the s							
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. accurate information; maps, if necessary, must be included; sig the appropriate fee must be paid.										
	FEE SCHEDU	<u>JLE</u>								
Each application to change the place of use or the point forth in the schedule below: Make checks payable to: K (1) Application to change a point of diversion 30	of diversion unde (ansas Departme 00 feet or less	er this section shall be a ent of Agriculture		\$100						
(2) Application to change a point of diversion m(3) Application to change the place of use										

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-14-3 and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, K.A.R. 5-1-1 et.seq. With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 14344 D3 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use.

Applicable
Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 300 foot radius of the authorized point(s) of diversion. ☐ Applicable ☐ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than _____ feet from the previously authorized point(s) of diversion. ☐ Applicable ☐ Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13.

Applicable Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2016, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintained in report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Applicable ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2016, or within any authorized extension of time. By March 1, 2017 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable Applicable ☐ Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.

Applicable
Not Applicable ☐ Yes 10. Additional Conditions are attached. ΠNo 11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND You have the right to a hearing in accordance with K.A.R. 5-14-3 **SUMMARY ORDER ISSUED** You have the right to a hearing in accordance with K.A.K. 5-14-3 before this Summary Order becomes final action of the Kansas Department of Agriculture. Any request for a hearing must be filed with the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Topeka, Kansas 66502, within 15 days after the date shown on the Certificate of Service attached hereto. If a hearing Duly Authorized Designee of the Chief Engineer is not requested in accordance with K.A.R. 5-14-3, this Summary Order will become effective on the 15th day after the date shown (Print Name): Division of Water Resources - Kansas Department of Agriculture on the Certificate of Service. Date of Issuance: For Use by Register of Deeds State of Kansas) SS County of Acknowledged before me on Signature: Notary Public My commission expires: _____ (Notary Seal)

Page 4

DWR 1-121 (Revised 06/16/2014)

File No. _____